

ONV | Optical Network Video

Global Leading
Switch Manufacturer

Quality Leadership - The industry's only SGS certified reliability laboratory security transmission manufacturers

ONV products have passed CE, FCC, RoHS and Quality Inspection of Ministry of Public Security etc. Network product series also has the certification of network access from MIIT. As a national verified company, ONV gets over 60 pieces of patents, intellectual property and copyright. With the standard of ISO9001 quality management system, ONV products are known as reliable quality, which is leading in security industry.



FCC

CE-EMC/LVD

RoHS



C-Tick



SGS



ISO9001



Certification of Network Access from MIIT



PoE Technology Patent

ONV factory has a full set of aging test equipment, mature production crafts and strict inspection process. It also has sufficient inventory to ensure high reliability of products and rapid market response capability.



- 1 Sampling temperature cycling testing
- 2 Sampling temperature aging
- 3 Assemble line
- 4 OQC & Packing
- 5 Sample Testing
- 6 Batch normal aging
- 7 Assemble line
- 8 SMT Line
- 9 Warehouse
- 10 PoE Function Testing



Ultra Lower /High Temperature Wide Voltage

Industrial //////// PoE Switch Series

ONV-IPS31021PF



Industrial 3 port 10/100M PoE Switch

- 1*10/100M PoE ports + 1*155M SC fiber
- IEEE802.3af/at
- Switch Capacity: 1.2Gbps
- Weight: 330g
- Size: 118 x100 x29.5mm

ONV-IPS31032PF



Industrial 3 port 10/100M PoE Switch

- 2*10/100M PoE ports + 1*155M SC fiber
- IEEE802.3af/at
- Switch Capacity: 1.2Gbps
- Weight: 350g
- Size: 118 x100 x29.5mm

ONV-IPS31064P



Industrial 6 port 10/100M PoE Switch

- 4*10/100M PoE ports + 2*10/100M RJ45 ports
- IEEE802.3af/at
- Switch Capacity: 1.6G
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS31064PF



Industrial 6 port 10/100M PoE Switch

- 4*10/100M PoE ports +2*155M SFP ports
- IEEE802.3af/at
- Switch Capacity: 1.6G
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS31064PFM



Industrial 6 port 10/100M managed PoE Switch

- 4*10/100M PoE ports + 2*Gigabit TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 64G
- Weight: 700g
- Size: 145 x134.5 x47.5mm

ONV-IPS31084PF



Industrial 8 port 10/100M PoE Switch

- 4*10/100M PoE ports + 2*10/100M RJ45 ports +2*155M SC fiber
- IEEE802.3af/at
- Switch Capacity: 1.8G
- Weight: 680g
- Size: 145 x134.5 x47.5mm

L2

ONV-IPS31108PFB



Industrial 10 port 10/100M PoE Switch

- 8*10/100M PoE ports + 2*Gigabit TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 5.6G
- Weight: 900g
- Size: 165 x148 x54mm

ONV-IPS31107PFM-2D



Industrial 10 port 10/100M managedPoE Switch

- 7*10/100M PoE ports + 3*Gigabit TP/SFP Combo ports + 1*RS232+1*RS485
- IEEE802.3af/at
- Switch Capacity: 64G
- Weight: 1000g
- Size: 145 x134.5 x47.5mm

L2

ONV-IPS31108PFM



Industrial 10 port 10/100M managedPoE Switch

- 8*10/100M PoE ports + 2*100/1000M TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 64G
- Weight: 900g
- Size: 165 x148 x54mm

L2

ONV-IPS33021PF



Industrial 3 port Gigabit PoE Switch

- 1*10/100/1000M PoE ports + 1*Gigabit SFP port
- IEEE802.3af/at
- Switch Capacity: 8G
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS33032PF



Industrial 3 port Gigabit PoE Switch

- 2*10/100/1000M PoE ports + 1*Gigabit SFP port
- IEEE802.3af/at
- Switch Capacity: 8G
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS33042PF



Industrial 4 port Gigabit PoE Switch

- 2*10/100/1000M PoE ports + 2*Gigabit SFP ports
- IEEE802.3af/at
- Switch Capacity: 8G
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS33042PFM



Industrial 4 port Gigabit managed PoE Switch

- 2*10/100/1000M PoE ports + 2*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 128Gbps
- Weight: 680g
- Size: 145 x134.5 x47.5mm

L2+

ONV-IPS33054PF



Industrial 5 port Gigabit PoE Switch

- 4*10/100/1000M PoE ports + 1*Gigabit SFP ports
- IEEE802.3af/at
- Switch Capacity: 12G
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS33064PF



Industrial 6 port Gigabit PoE Switch

- 4*10/100/1000M PoE ports + 2*Gigabit SFP ports
- IEEE802.3af/at
- Switch Capacity: 12G
- Weight: 400g
- Size: 118 x100 x29.5mm

ONV-IPS33064PFG



Industrial 6 port Gigabit PoE Switch

- 4*10/100/1000M PoE ports + 1*Gigabit RJ45 ports+1*Gigabit SFP ports
- IEEE802.3af/at
- Switch Capacity: 12G
- Weight: 400g
- Size: 118 x100 x29.5mm

ONV-IPS33064PFM



Industrial 6 port Gigabit managed PoE Switch

- 4*10/100/1000M PoE ports + 2*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 128G
- Weight: 720g
- Size: 145 x135.5 x47.5mm

L2+

ONV-IPS33084PFM



Industrial 8 port Gigabit managedPoE Switch

- 4*10/100/1000M PoE ports + 4*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 192G
- Weight: 900g
- Size: 145 x134.5 x47.5mm

L2+



ONV-IPS33108P

Industrial 10 port Gigabit PoE Switch

- 8*10/100/1000M PoE ports + 2*100/1000M RJ45 ports
- IEEE802.3af/at
- Switch Capacity: 16G
- Weight: 800g
- Size: 145 x134.5x47mm



ONV-IPS33108PF

Industrial 10 port Gigabit PoE Switch

- 8*10/100/1000M PoE ports + 2*Gigabit SFP port
- IEEE802.3af/at
- Switch Capacity: 48G
- Weight: 1000g
- Size: 165 x148 x54mm



ONV-IPS33108PFM

Industrial 10 port Gigabit managed PoE Switch

- 8*10/100/1000M PoE ports + 2*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 192G
- Weight: 1000g
- Size: 165 x148 x54mm



ONV-IPS33128PF

Industrial 10 port Gigabit PoE Switch

- 8*10/100/1000M PoE ports + 2*100/1000M Uplink RJ45 ports + 2*Gigabit SFP ports
- IEEE802.3af/at
- Switch Capacity: 192G
- Weight: 900g
- Size: 165 x148 x54mm



ONV-IPS33128PFM

Industrial 12 port Gigabit managed PoE Switch

- 8*10/100/1000M PoE ports + 2*100/1000M RJ45 ports + 2*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 192G
- Weight: 1000g
- Size: 165 x148 x54mm



ONV-IPS33148PFM

Industrial 14 port Gigabit managed PoE Switch

- 8*10/100/1000M PoE ports + 2*100/1000M RJ45 ports + 4*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 1100g
- Size: 165 x148 x54mm



ONV-IPS33168PFM

Industrial 16 port Gigabit managed PoE Switch


- 8*10/100/1000M PoE ports + 8*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 1100g
- Size: 165 x148 x54mm



ONV-IPS33168PFM-4G

Industrial 16 port Gigabit managed PoE Switch

- 8*10/100/1000M POE ports + 4*100/1000M RJ45 ports + 4*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 1200g
- Size: 165 x148 x54mm



ONV-IPS36168PFM
ONV-IPS38168PFM

Industrial 16 port Gigabit managed PoE Switch


- 8*10/100/1000M PoE ports + 4*100/1000M RJ45 ports ports + 4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 368G
- Weight: 1900g
- Size: 166 x149 x74.5mm



ONV-IPS33248PFM

Industrial 24 port Gigabit managed PoE Switch

- 8*10/100/1000M PoE ports + 4*100/1000M RJ45 ports + 12*100/1000Mt SFP port
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 1320g
- Size: 165 x148 x88mm



ONV-IPS36248PFM
ONV-IPS38248PFM

Industrial 24 port Gigabit Access managed PoE Switch

- 8*10/100/1000M PoE ports + 4*100/1000M RJ45 ports+ 8*100/1000M SFP port+ 4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 2200g
- Size: 166 x149 x89mm



ONV-IPS36248PFM-8G
ONV-IPS38248PFM-8G

Industrial 24 port Gigabit Access managed PoE Switch

- 8*10/100/1000M PoE ports + 12*100/1000M RJ45 ports+ 4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 2200g
- Size: 166 x149 x89mm

ONV-IPS33018PFM-(at)



18-port Gigabit Managed Industrial PoE Switch

- 16*10/100/1000M PoE ports + 2*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 3800g
- Size: 440 x290 x44.5mm
- Built-in power supply(250/400W)

L2+

ONV-IPS33026PFM-(at)



26-port Gigabit Managed Industrial PoE Switch

- 24*10/100/1000M PoE ports+ 4*100/1000M TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 4200g
- Size: 440 x290 x44.5mm
- Built-in power supply(400/600W)

L2+

ONV-IPS36028PFM-(at)



28-port Gigabit Managed Industrial Aggregation PoE Switch

- 24*10/100/1000M PoE ports + 4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 3900g
- Size: 440 x290 x44.5mm
- Built-in power supply(400W)

L2+

ONV-IPS36036PFM-(at)



36-port Gigabit Managed Industrial Aggregation PoE Switch

- 24*10/100/1000M PoE ports + 8*100/1000M SFP ports +4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 4250g
- Size: 440 x290 x44.5mm
- Built-in power supply(400/600W)

L2+

**ONV-IPS36048PFM-(at)
ONV-IPS38048PFM-(at)**



52-port Gigabit Managed Industrial Aggregation PoE Switch

- 48*10/100/1000M PoE ports + 4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 5500g
- Size: 440 x290 x44.5mm
- Built-in power supply(400/600W)

L2+/L3

ONV-IPS38028PFM-(at)



28-port Gigabit Managed Industrial Aggregation PoE Switch

- 24*10/100/1000M PoE ports +4*1/10G SFP port
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 3950g
- Size: 440 x290 x44.5mm
- Built-in power supply(400/600W)

L3

ONV-IPS38036PFM-(at)



36-port Gigabit Managed Industrial Aggregation PoE Switch

- 24*10/100/1000M POE ports 8*1000BaseT/FX SFP+ 4*1/10G SFP port
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 4250g
- Size: 440 x290 x44.5mm
- Built-in power supply(400/600W)

L3

**ONV-IPS36368PFM-(at)
ONV-IPS38368PFM-(at)**



36-port Gigabit Managed Industrial Aggregation PoE Switch

- 8*10/100/1000M PoE ports +24*100/1000M SFP 4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 5200g
- Size: 440 x291 x44.5mm
- Built-in power supply(130/250W)

L2+/L3


**ONV-IPS36448PFM-(at)
ONV-IPS38448PFM-(at)**



44-port Gigabit Managed Industrial Aggregation PoE Switch

- 8*10/100/1000M PoE ports +4x10/100/1000M ports +28*100/1000M SFP+4*1/10G SFP+ ports
- IEEE802.3af/at
- Switch Capacity: 598G
- Weight: 5200g
- Size: 440 x291 x44.5mm
- Built-in power supply(130/250W)

L2+/L3



Industrial

Ultra Low /High Temperature Wide Voltage

Industrial

Ultra PoE/Hi-PoE Switch Series

ONV-IPS34064PF

Industrial 6 port 10/100M UPoE Switch



Hi PoE

- 4*10/100M UPoE ports +2*155M SFP ports
- IEEE802.3bt,IEEE802.3af/at
- Switch Capacity: 1.6G
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS34064P

Industrial 6 port 10/100/1000M UPoE Switch



Hi PoE

- 4*10/100M UPoE ports + 2*10/100M Uplink ports
- IEEE802.3bt,IEEE802.3af/at
- Switch Capacity: 1.6G
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS34064CP

Industrial 6 port Gigabit UPoE Switch



Hi PoE

- 4*10/100/1000M UPoE ports + 2*10/100/1000M Uplink ports
- IEEE802.3bt,IEEE802.3af/at
- Switch Capacity: 16G
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS34064PFG

Industrial 6 port Gigabit UPoE Switch



Hi PoE

- 4*10/100/1000M UPoE ports + 1*Gigabit Uplink ports+1*Gigabit SFP ports
- IEEE802.3bt,IEEE802.3af/at
- Switch Capacity: 12G
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS34064CPF

Industrial 6 port Gigabit UPoE Switch



Hi PoE

- 4*10/100/1000M UPoE ports +2*Gigabit SFP ports
- IEEE802.3bt,IEEE802.3af/at
- Switch Capacity: 12G
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS34064PFM

Industrial 6 port Gigabit managed UPoE Switch



Hi PoE

- 4*10/100/1000M UPoE ports + 2*100/1000M SFP ports
- IEEE802.3bt,IEEE802.3af/at
- Switch Capacity: 128G
- Weight: 800g
- Size: 145 x135.5 x47.5mm

L2+



Ultra Lower /High Temperature Wide Voltage

Industrial //////// Switch Series

ONV-IPS31021F



Industrial 2 port 10/100M Switch

- 1*10/100M RJ45 ports + 1*155M SC fiber
- Buffer Memory: 448K
- Switch Capacity: 1.2G
- MAC: 2K
- Weight: 350g
- Size: 118 x100 x29.5mm

ONV-IPS31032F



Industrial 3 port 10/100M Switch

- 2*10/100M RJ45 ports + 1*155M SC fiber
- Buffer Memory: 448K
- Switch Capacity: 1.2G
- MAC: 2K
- Weight: 350g
- Size: 118 x100 x29.5mm

ONV-IPS31064



Industrial 6 port 10/100M Switch

- 6*10/100M RJ45 ports
- Buffer Memory: 768K
- Switch Capacity: 1.6G
- MAC: 1K
- Weight: 400g
- Size: 119 x100 x30mm

ONV-IPS31064F



Industrial 6 port 10/100M Switch

- 4*10/100M RJ45 ports+2x155M SFP Ports
- Buffer Memory: 768K
- Switch Capacity: 1.6G
- MAC: 1K
- Weight: 400g
- Size: 118 x100 x29.5mm

ONV-IPS31064FM



Industrial 6 port 10/100M managed Switch

- 4*10/100M RJ45 ports + 2*100/1000M TP/SFP Combo ports
- Buffer Memory: 4M
- Switch Capacity: 64G
- MAC: 16K
- Weight: 800g
- Size: 145 x134.5 x47.5mm

L2

ONV-IPS31084F



Industrial 8 port 10/100M Switch

- 6*10/100M RJ45 ports +2*155M SC fiber
- Buffer Memory: 768K
- Switch Capacity: 1.8G
- MAC: 1K
- Weight: 680g
- Size: 145 x134.5 x47.5mm

ONV-IPS31108FB



Industrial 10 port 10/100M Switch

- 10*10/100M RJ45 ports
- 2*Gigabit TP/SFP Combo
- Buffer Memory: 4M
- Switch Capacity: 5.6G
- MAC: 16K
- Weight: 850g
- Size: 165 x148 x54mm

ONV-IPS31107FM-2D



Industrial 10 port 10/100M managed Switch

- 7*10/100M RJ45 ports +
- 3*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 64G
- MAC: 8K
- Weight: 1000g
- Size: 145 x134.5 x47.5mm

L2+

ONV-IPS31108FM



Industrial 10 port 10/100M managed Switch

- 8*10/100M RJ45 ports +
- 2*100/1000M TP/SFP Combo
- Buffer Memory: 4M
- Switch Capacity: 64G
- MAC: 16K
- Weight: 850g
- Size: 165 x145 x54mm

L2

ONV-IPS33021F



Industrial 2 port Gigabit Switch

- 1*10/100/1000M RJ45 ports +
- 1*Gigabit SFP port
- Buffer Memory: 1M
- Switch Capacity: 8G
- MAC: 8K
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS33032F



Industrial 3 port Gigabit Switch

- 2*10/100/1000M RJ45 ports +
- 1*Gigabit SFP port
- Buffer Memory: 1M
- Switch Capacity: 8G
- MAC: 8K
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS33042F



Industrial 4 port Gigabit Switch

- 2*10/100/1000M RJ45 ports +
- 2*Gigabit SFP ports
- Buffer Memory: 1M
- Switch Capacity: 8G
- MAC: 8K
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS33042FM



Industrial 4 port Gigabit managed Switch

- 2*10/100/1000M RJ45 ports +
- 2*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 128G
- MAC: 8K
- Weight: 360g
- Size: 118 x100 x29.5mm

ONV-IPS33054F



Industrial 5 port Gigabit Switch

- 4*10/100/1000M RJ45 ports +
- 1*Gigabit SFP port
- Buffer Memory: 2M
- Switch Capacity: 12G
- MAC: 8K
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS33064F



Industrial 6 port Gigabit Switch

- 4*10/100/1000M RJ45 ports +
- 2*Gigabit SFP ports
- Buffer Memory: 2M
- Switch Capacity: 12G
- MAC: 2K
- Weight: 380g
- Size: 118 x100 x29.5mm

ONV-IPS33064FG



Industrial 6 port Gigabit Switch

- 5*10/100/1000M RJ45 ports +
- 1*Gigabit SFP ports
- Buffer Memory: 2M
- Switch Capacity: 12G
- MAC: 2K
- Weight: 610g
- Size: 118 x100 x29.5mm

ONV-IPS33064FM



Industrial 6 port Gigabit managed Switch

- 4*10/100/1000M RJ45 ports +
- 2*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 128G
- MAC: 8K
- Weight: 800g
- Size: 165 x148 x54mm

L2+

ONV-IPS33084FM



Industrial 8 port Gigabit managed Switch

- 4*10/100/1000M RJ45 ports +
- 4*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 128G
- MAC: 8K
- Weight: 850g
- Size: 145 x134.4 x46.8mm

L2+

ONV-IPS33108



Industrial 10 port Gigabit Switch

- 10*10/100M RJ45 ports
- 2*100/1000M RJ45 ports
- Buffer Memory: 4M
- Switch Capacity: 20G
- MAC: 8K
- Weight: 850g
- Size: 165 x145 x54mm

ONV-IPS33108F



Industrial 10 port Gigabit Switch

- 8*10/100M RJ45 port + 2*Gigabit SFP port
- Buffer Memory: 4M
- Switch Capacity: 48G
- MAC: 8K
- Weight: 1000g
- Size: 165 x145 x54mm

ONV-IPS33108FM



Industrial 10 port Gigabit managed Switch

- 8*10/100/1000M RJ45 ports + 2*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 192G
- MAC: 8K
- Weight: 1000g
- Size: 165 x145 x45mm

L2+

ONV-IPS33128F



Industrial 12 port Gigabit managed Switch

- 10*10/100/1000M RJ45ports + 2*Gigabit SFP ports
- Buffer Memory: 4M
- Switch Capacity: 192G
- MAC: 8K
- Weight: 900g
- Size: 165 x145 x54mm

L2+

ONV-IPS33012FM



Industrial 12 port Gigabit managed Switch

- 2*10/100/1000M RJ45ports + 12*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 192G
- MAC: 8K
- Weight: 1000g
- Size: 165 x145 x54mm

L2+

ONV-IPS33128FM



Industrial 12 port Gigabit managed Switch

- 10*10/100/1000M RJ45ports + 2*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 192G
- MAC: 8K
- Weight: 1000g
- Size: 165 x145 x54mm

L2+

ONV-IPS33148FM



Industrial 14 port Gigabit managed Switch

- 10*10/100/1000M RJ45 ports + 4*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 256G
- MAC: 8K
- Weight: 1100g
- Size: 165 x145 x54mm

L2+

ONV-IPS33168FM



Industrial 16 port Gigabit managed Switch

- 8*10/100/1000M RJ45 ports + 8*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 256G
- MAC: 8K
- Weight: 1100g
- Size: 165 x145 x54mm

L2+

ONV-IPS33168FM-4GF



Industrial 16 port Gigabit managed Switch

- 12*10/100/1000M RJ45 ports + 4*100/1000M SFP ports
- Buffer Memory: 6M
- Switch Capacity: 256G
- MAC: 8K
- Weight: 1100g
- Size: 165 x145 x54mm

L2+

ONV-IPS36168FM
ONV-IPS38168FM



16-port Gigabit Managed Industrial Aggregation Switch

- 12*10/100/1000M ports + 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 368G/598G
- MAC: 32K
- Weight: 1900g
- Size: 166 x149 x74.5mm

L2+L3

ONV-IPS33248FM



Industrial 24 port Gigabit managed Switch

- 12*10/100/1000M RJ45 ports + 12*100/1000M SFP ports
- Buffer Memory: 8M
- Switch Capacity: 256G
- MAC: 8K
- Weight: 1180g
- Size: 165 x148 x68.5mm

L2+

ONV-IPS33248FM-4GF



Industrial 24 port Gigabit managed Switch

- 20*10/100/1000M RJ45 ports + 4*100/1000M SFP ports
- Buffer Memory: 8M
- Switch Capacity: 256G
- MAC: 8K
- Weight: 1180g
- Size: 165 x148 x68.5mm

L2+

ONV-IPS36248FM

24-port Gigabit Managed Industrial Aggregation Switch

- 12*10/100/1000M RJ45 ports + 8*100/1000M SFP ports
- 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 2200g
- MAC: 32K
- Size: 166 x160.5 x89mm



ONV-IPS38248FM

24-port Gigabit Managed Industrial Aggregation Switch

- 12*10/100/1000M RJ45 ports + 8*100/1000M SFP ports
- 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 2200g
- MAC: 32K
- Size: 166 x160.5 x89mm

ONV-IPS36248FM-8G
ONV-IPS38248FM-8G**24-port Gigabit Managed Industrial Aggregation Switch**

- 20*10/100/1000M RJ45 ports + 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- MAC: 32K
- Weight: 2200g
- Size: 166 x160.5 x89mm



ONV-IPS33018FM

Industrial 18 port Gigabit managed Switch

- 16*10/100/1000M RJ45 ports + 2*100/1000M SFP ports
- Buffer Memory: 4M
- Switch Capacity: 256G
- Weight: 3800g
- Size: 440 x290 x44.5mm



L2+

ONV-IPS33026FM

Industrial 26 port Gigabit managed Switch

- 24*10/100/1000M RJ45 ports
- 4*100/1000M TP/SFP Combo ports
- Buffer Memory: 8M
- Switch Capacity: 256G
- Weight: 4200g
- Size: 440 x290 x44.5mm



L2+

ONV-IPS33048FM

Industrial 52 port Gigabit managed Switch

- 48*10/100/1000M RJ45+ 4*100/1000M SFP ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 5500g
- Size: 440 x290 x44.5mm



L2+

ONV-IPS36028FM

Industrial 28 port Gigabit managed Switch

- 24*10/100/1000M RJ45 ports + 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 3870g
- Size: 440 x290 x44.5mm



L3

ONV-IPS38028FM

Industrial 28 port Gigabit managed Switch

- 24*10/100/1000M RJ45 ports + 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 3870g
- Size: 440 x290 x44.5mm



L3

ONV-IPS36036FM
ONV-IPS38036FM**Industrial 36 port Gigabit managed Switch**

- 24*10/100/1000M RJ45ports + 8*100/1000M SFP+4*1/10G SFP+ ports
- Buffer Memory:32M
- Switch Capacity: 598G
- Weight: 4200g
- Size: 440 x290 x44.5mm



L3

ONV-IPS36048FM
ONV-IPS38048FM**Industrial 52 port Gigabit managed Switch**

- 48*10/100/1000M RJ45+ 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 5500g
- Size: 440 x290 x44.5mm



L3

ONV-IPS36368FM
ONV-IPS38368FM**Industrial 36 port Gigabit managed Switch**

- 8*10/100/1000M RJ45 ports + 2*24*100/1000M SFP
- 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 5200g
- Size: 440 x291 x44.5mm



L2+

ONV-IPS36448FM
ONV-IPS38448FM**Industrial 44 port Gigabit managed Switch**

- 12*10/100/1000M RJ45 ports + 2*8*100/1000M SFP
- 4*1/10G SFP+ ports
- Buffer Memory: 32M
- Switch Capacity: 598G
- Weight: 5200g
- Size: 440 x291 x44.5mm



L2+




Never burn intelligent PoE equipment

PoE ////////// Switch Series

	<p>ONV-POE31004PL (Power:65W) 10m/250m</p> <p>ONV-POE31004PL-at (Power:110W) 10m/250m</p>	<p>5 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> 4*10/100M PoE ports + 1*10/100M RJ45 uplink port IEEE802.3af/at Switch Capacity: 1.2G Weight: 250g Size: 118 x85 x28mm With 250m long distance or VLAN function
---	---	--

	<p>ONV-POE31004PF (Power:65W)</p> <p>ONV-POE31004PF-at (Power:110W)</p>	<p>5 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> 4*10/100M PoE ports + 1*155M SC fiber IEEE802.3af/at Switch Capacity: 1.2G Weight: 260g Size: 118 x85 x28mm
--	---	---

	<p>ONV-POE31064PL (Power:65W) 10m/250m</p>	<p>6 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> 4*10/100M PoE ports + 2*10/100M RJ45 uplink port IEEE802.3af/at Switch Capacity: 1.6G Weight: 260g Size: 118 x85 x28mm Built-in power supply
---	---	---


	<p>ONV-POE31064PF (Power:65W)</p> <p>ONV-POE31064PF-at (Power:110W)</p>	<p>6 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> 4*10/100M PoE ports + 2*10/100M SFP port IEEE802.3af/at Switch Capacity: 1.6G Weight: 260g Size: 118 x95 x28mm Built-in power supply
--	---	---



ONV-POE31008PL
(Power:110W)
10m/250m

9 port 10/100M PoE Switch

- 8*10/100M PoE ports + 1*10/100M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 1.8G
- Weight: 500g
- Size: 190.5 x105x29mm
- With 250m long distance or VLAN function



ONV-POE31008PF
(Power:130W)

9 port 10/100M PoE Switch

- 8*10/100M PoE ports +1*155M SC fiber
- IEEE802.3af/at
- Switch Capacity: 1.8G
- Weight: 550g
- Size: 190.5 x105x29mm



ONV-POE31008PFN
(Power:130W)

9 port 10/100M PoE Switch

- 8*10/100M PoE ports +1*155M SC fiber
- IEEE802.3af/at
- Switch Capacity: 1.8G
- Weight: 1550g
- Size: 280x180 x44mm
- Built-in power supply

ONV-POE31008PFN-at
(Power:250W)



ONV-POE31008PN
(Power:130W)

9 port 10/100M PoE Switch

- 8*10/100M PoE ports + 1*10/100M Uplink port
- IEEE802.3af/at
- Switch Capacity: 1.2G
- Weight: 250g
- Size: 280 x180 x44mm
- Built-in power supply

ONV-POE31008PN-at
(Power:250W)



ONV-POE31108PL
(Power:110W)
10m/250m

10 port 10/100M PoE Switch

- 8*10/100M PoE ports + 2*10/100M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 2G
- Weight: 500g
- Size: 190.5x105 x29mm (at):270x181x44.5mm
- Built-in power supply

ONV-POE31108PL-at
(Power:250W)
10m/250m




ONV-POE31008PG
(Power:110W)
10m/250m

10 port 10/100M PoE Switch

- 8*10/100M PoE ports + 2*10/100/1000M Uplink port
- IEEE802.3af/at
- Switch Capacity: 1.2G
- Weight: 250g
- Size: 190.5 x105 x29mm (at):270x181x44.5mm

ONV-POE31008PG-at
(Power:250W)
10m/250m



ONV-POE31008PFG
(Power:110W)

10 port 10/100M PoE Switch

- 8*10/100M PoE ports + 1*10/100/1000M Uplink port
- 1*10/100/1000M SFP port
- IEEE802.3af/at
- Switch Capacity: 1.2G
- Weight: 250g
- Size: 190.5 x105 x29mm (at):270x181x44.5mm

ONV-POE31008PFG-at
(Power:250W)




ONV-POE31108PFB
(Power:130W)

10 port 10/100M PoE Switch

- 8*10/100M PoE ports + 2*Gigabit TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 5.6G
- Weight: 1620g
- Size: 270 x181 x44.5mm
- Built-in power supply


ONV-POE31108PFB-at
(Power:250W)



ONV-POE31016PL
(Power:200W)
10m/250m

18 port 10/100M PoE Switch


- 16*10/100M PoE ports + 2*10/100/1000M Uplink ports
- IEEE802.3af/at
- Switch Capacity: 14.8G
- Weight: 1600g
- Size: 270 x181 x44.5mm
- Built-in power supply



ONV-POE31016PU
(Power:250W)

18 port 10/100M PoE Switch


- 16*10/100M PoE ports + 2*10/100/1000M Uplink ports
- IEEE802.3af/at
- Switch Capacity: 14.8G
- Weight: 1600g
- Size: 440 x225 x44mm
- Built-in power supply



ONV-POE31024PL
(Power:250W)
10m/250m

26 port 10/100M managed PoE Switch


- 24*10/100M PoE ports + 2*10/100/1000M Uplink ports
- IEEE802.3af/at
- Switch Capacity: 14.8G
- Weight: 2500g
- Size: 330 x204 x44.5mm
- Built-in power supply



ONV-POE31024PU
(Power:400W)

26 port 10/100M PoE Switch

- 24*10/100M PoE ports + 2*10/100/1000M Uplink ports
- IEEE802.3af/at
- Switch Capacity: 14.8G
- Weight: 2500g
- Size: 440 x225 x44mm
- Built-in power supply




ONV-POE31016PFA
(Power:250W)

26 port 10/100M PoE Switch

- 24*10/100M PoE ports + 2*Gigabit TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 5.6G
- Weight: 1620g
- Size: 440 x225 x44mm
- Built-in power supply

ONV-POE31016PFA-at
(Power:400W)




ONV-POE31024PFA
(Power:400W)

26 port 10/100M PoE Switch

- 24*10/100M PoE ports + 2*Gigabit TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 164G
- Weight: 3870g
- Size: 440 x225 x44.5mm (at):440x290x44.5mm
- Built-in power supply

ONV-POE31024PFA-at
(Power:600W)




ONV-POE31064PFM
(Power:65W)

6 port 10/100M PoE Switch

- 4*10/100M PoE ports + 2*100/1000M TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 64G
- Weight: 1620g
- Size: 270 x181 x44.5mm
- Built-in power supply

ONV-POE31064PFM-at
(Power:110W)

L2+



ONV-POE31108PFM
(Power:130W)

10 port 10/100M managed PoE Switch

- 8*10/100M PoE ports + 2*100/1000M TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 64G
- Weight: 1550g
- Size: 270 x181 x44.5mm
- Built-in power supply

ONV-POE31108PFM-at
(Power:250W)

L2+



ONV-POE31016PFM
(Power:250W)

ONV-POE31016PFM-at
(Power:400W)

L2+

18 port 10/100M managed PoE Switch

- 16*10/100M PoE ports+ 2*100/1000M TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 64G
- Weight: 3600g
- Size: 440 x225 x44.5mm
- Built-in power supply



ONV-POE31024PFM
(Power:400W)

ONV-POE31024PFM-at
(Power:600W)

L2+

26 port 10/100M managed PoE Switch

- 24*10/100M PoE ports + 2*100/1000M TP/SFP Combo ports
- IEEE802.3af/at
- Switch Capacity: 64G
- Weight: 3870g
- Size: 440 x290 x44.5mm
- Built-in power supply



ONV-POE33064P
(Power:65W)

ONV-POE33064P-at
(Power:110W)

6 port Gigabit PoE Switch

- 4*10/100/1000M PoE ports + 2*10/100/1000M RJ45 uplink ports
- IEEE802.3af/at
- Switch Capacity: 16G
- Weight: 260g
- Size: 118 x95 x28mm



ONV-POE33064PFG
(Power:65W)

ONV-POE33064PFG-at
(Power:110W)

6 port Gigabit PoE Switch

- 4*10/100/1000M PoE ports + 1*100/1000M RJ45 uplink ports
- 1*100/1000M SFP Port
- IEEE802.3af/at
- Switch Capacity: 16G
- Weight: 260g
- Size: 118 x95 x28mm



ONV-POE33064PF
(Power:65W)

ONV-POE33064PF-at
(Power:110W)

6 port Gigabit PoE Switch

- 4*10/100/1000M PoE ports + 2*1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 16G
- Weight: 260g
- Size: 118 x95 x28mm



ONV-POE33007P
(Power:110W)

8 port Gigabit PoE Switch

- 7*10/100/1000M PoE ports + 1*10/100/1000M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 16G
- Weight: 650g
- Size: 190.5 x105x29mm



ONV-POE33007PN
(Power:130W)

ONV-POE33007PN-at
(Power:250W)

8 port Gigabit PoE Switch

- 7*10/100/1000M PoE ports + 1*10/100/1000M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 16G
- Weight: 1420g
- Size: 280x180 x44mm
- Built-in power supply



ONV-POE33108P
(Power:110W)


ONV-POE33108P-at
(Power:250W)


10 port Gigabit PoE Switch


- 8*10/100/1000M PoE ports + 2*10/100/1000M RJ45 uplink ports
- IEEE802.3af/at
- Switch Capacity: 20G
- Weight: 660g
- Size: 190 x105 x29mm
- Built-in power supply


	<p>ONV-POE33108PFG (Power:110W)</p>	<p>10 port Gigabit PoE Switch</p> <ul style="list-style-type: none"> 8*10/100/1000M PoE ports + 1*10/100/1000M RJ45 uplink port 1*1000M SFP port IEEE802.3af/at
	<p>ONV-POE33108PFG-at (Power:250W)</p>	<ul style="list-style-type: none"> Switch Capacity: 20G Weight: 660g Size: 190 x105 x29mm Built-in power supply


	<p>ONV-POE33108PF (Power:130W)</p>	<p>10 port Gigabit PoE Switch</p> <ul style="list-style-type: none"> 8*10/100/1000M PoE ports + 2*Gigabit SFP ports IEEE802.3af/at
	<p>ONV-POE33108PF-at (Power:250W)</p>	<ul style="list-style-type: none"> Switch Capacity: 20G Weight: 1560g Size: 270 x181 x44.5mm Built-in power supply


	<p>ONV-POE33016PFB (Power:200W)</p>	<p>18 port Gigabit PoE Switch</p> <ul style="list-style-type: none"> 16*10/100/1000M PoE ports + 2*1000M SFP ports IEEE802.3af/at
		<ul style="list-style-type: none"> Switch Capacity: 48G Weight: 1700g Size: 270 x181 x44.5mm Built-in power supply

	<p>ONV-POE33016PF (Power:250W)</p>	<p>18 port Gigabit PoE Switch</p> <ul style="list-style-type: none"> 16*10/100/1000M PoE ports + 2*1000M SFP ports IEEE802.3af/at
	<p>ONV-POE33016PF-at (Power:400W)</p>	<ul style="list-style-type: none"> Switch Capacity: 48G Weight: 660g Size: 440 x225 x44mm Built-in power supply

	<p>ONV-POE33020PF (Power:400W)</p>	<p>20 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 16*10/100/1000M PoE ports + 2*10/100/1000M RJ45 Ports 2*1000M SFP ports IEEE802.3af/at
		<ul style="list-style-type: none"> Switch Capacity: 54G Weight: 2500g Size: 440 x290 x44.5mm Built-in power supply

	<p>ONV-POE33024PF (Power:400W)</p>	<p>26 port Gigabit PoE Switch</p> <ul style="list-style-type: none"> 24*10/100/1000M PoE ports + 2*1000M SFP ports IEEE802.3af/at
	<p>ONV-POE33024PF-at (Power:600W)</p>	<ul style="list-style-type: none"> Switch Capacity: 52G Weight: 660g Size: 440 x225 x44mm (at):440x290x44.5mm Built-in power supply

	<p>ONV-POE33024PFB (Power:400W)</p>	<p>26 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 24*10/100/1000M PoE ports + 2*1000M SFP ports IEEE802.3af/at
		<ul style="list-style-type: none"> Switch Capacity: 52G Weight: 2500g Size: 330 x204 x44mm Built-in power supply

	<p>ONV-POE33028PF (Power:400W)</p>	<p>28 port Gigabit PoE Switch</p> <ul style="list-style-type: none"> 24*10/100/1000M PoE ports + 2*10/100/1000M RJ45 Ports +2*1000M SFP ports IEEE802.3af/at
	<p>ONV-POE33024PF-at (Power:600W)</p>	<ul style="list-style-type: none"> Switch Capacity: 20G Weight: 660g Size: 440 x290 x44.5mm Built-in power supply



6 port Gigabit managedPoE Switch

- 4*10/100/1000M PoE ports + 2*100/1000M SFP uplink ports
- IEEE802.3af/at
- Switch Capacity: 128G
- Weight: 1400g
- Size: 270 x181x44.5mm

ONV-POE33064PFM (Power:65W)
ONV-POE33064PFM-at (Power:110W)

L2+




8 port Gigabit managedPoE Switch

- 4*10/100/1000M PoE ports + 4*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 192G
- Weight: 1400g
- Size: 270 x181x44.5mm

ONV-POE33084PFM (Power:65W)
ONV-POE33084PFM-at (Power:110W)

L2+




10 port Gigabit managedPoE Switch

- 8*10/100/1000M PoE ports + 2*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 192G
- Weight: 1560g
- Size: 270 x181x44.5mm

ONV-POE33108PFM (Power:130W)
ONV-POE33108PFM-at (Power:250W)

L2+




12 port Gigabit PoE Switch

- 8*10/100/1000M PoE ports + 2*10/100/1000M Uplink ports
- 2*1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 24G
- Weight: 1400g
- Size: 270 x181x44.5mm

ONV-POE33128PF (Power:130W)
ONV-POE33128PF-at (Power:250W)

L2+




12 port Gigabit managedPoE Switch

- 8*10/100/1000M PoE ports + 2*10/100/1000M Uplink ports
- 2*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 192G
- Weight: 1400g
- Size: 270 x181x44mm

ONV-POE33128PFM (Power:130W)
ONV-POE33128PFM-at (Power:250W)

L2+




14 port Gigabit managedPoE Switch

- 8*10/100/1000M PoE ports + 2*10/100/1000M Uplink ports
- 4*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 2500g
- Size: 270 x181 x44.5mm
- Built-in power supply

ONV-POE33148PFM (Power:130W)
ONV-POE33148PFM-at (Power:250W)

L2+




16 port Gigabit managedPoE Switch

- 8*10/100/1000M PoE ports + 8*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 1800g
- Size: 270 x181 x44.5mm
- Built-in power supply

ONV-POE33168PFM (Power:130W)
ONV-POE33168PFM-at (Power:250W)

L2+



16 port Gigabit managedPoE Switch

- 8*10/100/1000M PoE ports + 4*10/100/1000M RJ45 Ports
- +8*100/1000M SFP ports
- IEEE802.3af/at
- Switch Capacity: 256G
- Weight: 1800g
- Size: 270 x181 x44.5mm
- Built-in power supply

ONV-POE33168PFM-4GF (Power:130W)
ONV-POE33168PFM-4GF-at (Power:250W)

L2+

	<p>ONV-POE38168PFM (Power:130W)</p>	<p>16 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 8*10/100/1000M PoE ports + 4*100/1000M RJ45+4*1/10G SFP+Ports IEEE802.3af/at Switch Capacity: 368G Weight: 2500g Size: 270 x181 x44.5mm Built-in power supply
	<p>ONV-POE38168PFM-at (Power:250W)</p>	<p>L2+/L3</p>


	<p>ONV-POE33018PFM (Power:250W)</p>	<p>18 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 16*10/100/1000M PoE ports + 2*100/1000M SFP ports IEEE802.3af/at Switch Capacity: 256G Weight: 3800g Size: 440 x290 x44.5mm Built-in power supply
	<p>ONV-POE33018PFM-at (Power:400W)</p>	<p>L2+</p>


	<p>ONV-POE33026PFM (Power:400W)</p>	<p>26 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 24*10/100/1000M PoE ports 4*100/1000M TP/SFP Combo ports IEEE802.3af/at Switch Capacity: 256G Weight: 4200g Size: 440 x290 x44.5mm Built-in power supply
	<p>ONV-POE33026PFM-at (Power:600W)</p>	<p>L2+</p>

	<p>ONV-POE38028PFM(at) (Power:400/600W)</p>	<p>28 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 24*10/100/1000M PoE ports + 4*1/10G SFP+ ports IEEE802.3af/at Switch Capacity: 598G Weight: 3870g Size: 440 x290 x44.5mm Built-in power supply
	<p>ONV-POE38028PFM(at) (Power:400/600W)</p>	<p>L2+/L3</p>

	<p>ONV-POE38036PFM(at) (Power:400/600W)</p>	<p>36 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 24*10/100/1000M PoE ports + 8*100/1000M SFP +4*1/10G SFP+ ports IEEE802.3af/at Switch Capacity: 598G Weight: 3500g Size: 440 x290 x44.5mm Built-in power supply
	<p>ONV-POE38036PFM(at) (Power:400/600W)</p>	<p>L2+/L3</p>

	<p>ONV-POE38368PFM (Power:130/250W)</p>	<p>36 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 8*10/100/1000M PoE ports + +24*100/1000M SFP +4*1/10G SFP+ ports IEEE802.3af/at Switch Capacity: 598G Weight: 5500g Size: 440 x290 x44.5mm Built-in power supply
	<p>ONV-POE38368PFM (Power:130/250W)</p>	<p>L2+</p>

	<p>ONV-POE38448PFM(at) (Power:130/250W)</p>	<p>44 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 8*10/100/1000M PoE ports +4*100/1000M Uplink ports +28*100/1000M SFP Ports + 4*1/10G SFP+ ports IEEE802.3af/at Switch Capacity: 598G Weight: 5500g Size: 440 x290 x44.5mm Built-in power supply
	<p>ONV-POE38448PFM(at) (Power:130/250W)</p>	<p>L2+/L3</p>

	<p>ONV-POE38048PFM (Power:600W)</p>	<p>52 port Gigabit managed PoE Switch</p> <ul style="list-style-type: none"> 48*10/100/1000M PoE ports + 4*1/10G (SFP+) ports IEEE802.3af/at Switch Capacity: 598G Weight: 5500g Size: 440 x290 x44.5mm Built-in power supply
	<p>ONV-POE38048PFM (Power:600W)</p>	<p>L2+/L3</p>


	<p>ONV-H1064PL (Power:65W)</p>	<p>6 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 4*10/100M PoE ports + 2*10/100M RJ45 uplink port • IEEE802.3af/at • Switch Capacity: 1.6G • Weight: 500g • Size: 142 x113 x40mm • Built-in power supply 		<p>ONV-H1108PL (Power:120W)</p>	<p>10port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 8*10/100M PoE ports + 2*10/100M RJ45 uplink port • IEEE802.3af/at • Switch Capacity: 2G • Weight: 800g • Size: 195 x130 x40mm • Built-in power supply
	<p>ONV-H1108PGL (Power:120W)</p>	<p>10port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 8*10/100M PoE ports + 2*10/100/1000M RJ45 uplink port • IEEE802.3af/at • Switch Capacity: 2G • Weight: 800g • Size: 195 x130 x40mm • Built-in power supply 		<p>ONV-H1016PL (Power:250W)</p>	<p>18 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 16*10/100M PoE ports + 2*10/100/1000M RJ45 uplink ports • IEEE802.3af/at • Switch Capacity: 14.8G • Weight: 1600g • Size: 270x181 x44.5mm • Built-in power supply
	<p>ONV-H1024PL (Power:250W)</p>	<p>26 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 24*10/100M PoE ports + 2*10/100M RJ45 uplink port • IEEE802.3af/at • Switch Capacity: 14.8G • Weight: 2500g • Size: 330 x204 x44.5mm • Built-in power supply 		<p>ONV-H1024PLS (Power:250W)</p>	<p>26 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 24*10/100M PoE ports + 2*10/100M RJ45 uplink port • IEEE802.3af/at • Switch Capacity: 14.8G • Weight: 2500g • Size: 330 x204 x44.5mm • Built-in power supply
	<p>ONV-H3016PF (Power:250W)</p>	<p>18 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 16*10/100M PoE ports + 2*1000M SFP ports • IEEE802.3af/at • Switch Capacity: 48G • Weight: 1600g • Size: 270 x181 x44.5mm • Built-in power supply 		<p>ONV-H3024PF (Power:250W)</p>	<p>26 port 10/100M PoE Switch</p> <ul style="list-style-type: none"> • 24*10/100/1000M PoE ports + 2*1000M SFP ports • IEEE802.3af/at • Switch Capacity:52G • Weight: 2900g • Size: 330 x204 x44.5mm • Built-in power supply



ONV-H2064PL
(Power:65W)

6 port 10/100M PoE Switch

- 4*10/100M PoE ports + +2*10/100M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 1.6G
- Weight: 500g
- Size: 142 x113 x40mm
- Built-in power supply



ONV-H2108PL
(Power:120W)
Non standard

10 port 10/100M PoE Switch


- 8*10/100M PoE ports + +2*10/100M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 2G
- Weight: 800g
- Size: 195 x130 x40mm
- Built-in power supply



ONV-H2016PL
(Power:250W)

18 port 10/100M PoE Switch


- 16*10/100M PoE ports + +2*10/100/1000M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 14.8G
- Weight: 1600g
- Size: 270 x181 x44.5mm
- Built-in power supply



ONV-H2024PL
(Power:250W)
Non standard

26 port 10/100M PoE Switch

- 24*10/100M PoE ports + +2*10/100/1000M RJ45 uplink port
- IEEE802.3af/at
- Switch Capacity: 14.8G
- Weight: 2500g
- Size: 330 x204 x44.5mm
- Built-in power supply



ONV-PD3101
(Power:15.4W)


ONV-PD3101 -at
(Power:25.5W)

ONV-PD3301
(Power:15.4W)

ONV-PD3301 -at
(Power:25.5W)

PoE Splitter

- 2*10/100M or 10/100/1000M RJ45 ports
- IEEE802.3af/at
- DC Output: 12V/5V
- Weight: 110g
- Size: 80 x76 x25mm



ONV-PD3401
(Power:60W)

ONV-PD3401G
(Power:60W)

PoE Splitter (for High-speed Dome)

- 2*10/100M or 10/100/1000M RJ45 ports
- IEEE802.3af+at
- DC Output: 12V/24V
- Weight: 240g
- Size: 100 x80 x35mm




ONV-PD3202
(Power:13W)

ONV-PD3202G
(Power:13W)

PoE Splitter Cable (Isolation Function)

- 10/100M or 10/100/1000M RJ45 port(In&Out)
- IEEE802.3af
- DC Output: 12V
- Weight: 70g
- Size: 88.6x31.5 x26.5mm(main part)



ONV-PD3202-at
(Power:24W)

PoE Splitter Cable


- 10/100M RJ45 port(In&Out)
- IEEE802.3af/at
- DC Output: 12V
- Weight: 70g
- Size: 88.6x31.5 x26.5mm(main part)



ONV-PD3202W
(Power:13W)

PoE Splitter Cable(IP66)


- 10/100M RJ45 port(In&Out)
- IEEE802.3af
- DC Output: 12V
- Weight: 70g
- 134 x27.6 x23.5(main part)+ 210(line length)mm(LxWxH)



ONV-PSE-PD3102
(Power:15.4W)

PoE Extender

- 3*10/100M RJ45 ports+
- IEEE802.3af/at
- Weight: 80g
- Size: 80 x76 x25mm
- Extend transmission distance:100m




ONV-PSE-PD3101
(Power:15.4W)

PoE Extender

- 2*10/100M RJ45 ports+
- IEEE802.3af/at
- Weight: 85g
- Size: 80 x76 x25mm
- Extend transmission distance:100m

ONV-PSE-PD3101-at
(Power:25.5W)




ONV-PSE-PD3301
(Power:15.4W)

PoE Extender

- 2*10/100/1000M RJ45 ports+
- IEEE802.3af/at
- Weight: 270g
- Size: 116 x99 x25.5mm
- Extend transmission distance:100m

ONV-PSE-PD3301-at
(Power:25.5W)




ONV-PSE-PD3302
(Power:15.4W)

PoE Extender

- 2*10/100M RJ45 ports+
- IEEE802.3af/at
- Weight: 85g
- Size: 80 x76 x25mm
- Extend transmission distance:100m

ONV-PSE-PD3302-at
(Power:25.5W)




ONV-PSE-PD3104
(Power:15.4W)


PoE Extender

- 2*10/100/1000M RJ45 ports+
- IEEE802.3af/at
- Weight: 270g
- Size: 116 x99 x25.5mm
- Extend transmission distance:100m


ONV-PSE-PD3104-at
(Power:25.5W)




ONV-PSE1101AC (Power:18W)	1 port PoE AC Injector(Non-standard) <ul style="list-style-type: none"> • 10/100M or 10/100/1000M RJ45 port • AC Input 100~240V, 50-60Hz • Weight: 180g • Size: 118 x60 x38mm
ONV-PSE1101AC-at (Power:35W)	
ONV-PSE1301AC (Power:18W)	
ONV-PSE1301AC-at (Power:35W)	




ONV-PSE1101AC-60 (Power:60W)	1 port PoE AC Injector(Non-standard) <ul style="list-style-type: none"> • 10/100M or 10/100/1000M RJ45 port • IEEE802.3af/at • AC Input 100~240V, 50-60Hz • Weight: 180g • Size: 118 x60 x38mm
ONV-PSE1301AC-60 (Power:60W)	




ONV-PSE3101AC (Power:18W)	1 port PoE AC Injector <ul style="list-style-type: none"> • 10/100M or 10/100/1000M RJ45 port • IEEE802.3af/at • AC Input 100~240V, 50-60Hz • Weight: 180g • Size: 117 x51 x33mm(af) 118 x60 x38mm(at)
ONV-PSE3101AC-at (Power:35W)	
ONV-PSE3301AC (Power:18W)	
ONV-PSE3301AC-at (Power:35W)	




ONV-PSE3101DC (Power:15W)	1 port PoE DC Injector <ul style="list-style-type: none"> • 2*10/100M or 10/100/1000M RJ45 port • IEEE802.3af/at • Voltage range: 12~36VDC • Weight: 120g • Size: 80 x76 x25mm
ONV-PSE3101DC-at (Power:30W)	
ONV-PSE3301DC (Power:15W)	
ONV-PSE3301DC-at (Power:30W)	




ONV-PSE3104 (Power:65W)	4 port PoE Injector <ul style="list-style-type: none"> • 4*10/100M or 10/100/1000M RJ45 ports • IEEE802.3af/at • AC Input 100~240V, 50-60Hz • Weight: 1440g • Size: 279 x195 x44mm(LxWxH)
ONV-PSE3104-at (Power:130W)	
ONV-PSE3304 (Power:65W)	
ONV-PSE3304-at (Power:130W)	




ONV-PSE3108 (Power:130W)	8 port PoE Injector <ul style="list-style-type: none"> • 8*10/100M or 10/100/1000M RJ45 ports • IEEE802.3af/at • AC Input 100~240V, 50-60Hz • Weight: 1560g • Size: 279 x195 x44mm(LxWxH)
ONV-PSE3108-at (Power:250W)	
ONV-PSE3308 (Power:130W)	
ONV-PSE3308-at (Power:250W)	



ONV-PSE31016 (Power:250W)	16 port PoE Injector <ul style="list-style-type: none"> • 16*10/100M or 10/100/1000M RJ45 ports • IEEE802.3af/at • AC Input 100~240V, 50-60Hz • Weight: 3500g • Size: 440 x275 x44.5mm (LxWxH)
ONV-PSE31016-at (Power:400W)	
ONV-PSE33016 (Power:250W)	
ONV-PSE33016-at (Power:400W)	




ONV-PSE31024 (Power:400W)	24 port PoE Injector <ul style="list-style-type: none"> • 24*10/100M or 10/100/1000M RJ45 ports • IEEE802.3af/at • AC Input 100~240V, 50-60Hz • Weight:4200g • Size: 440 x275 x44.5mm(LxWxH)
ONV-PSE31024-at (Power:600W)	
ONV-PSE33024 (Power:400W)	
ONV-PSE33024-at (Power:600W)	



ONV-UPOE34064P
(Power:250W)

6 port 10/100M UPoE Switch


- 4*10/100M UPoE ports
- 2*10/100M RJ45 uplink ports
- IEEE 802.3bt/af/at
- Switch Capacity: 1.6Gbps
- UPoE port power: 60W
- Weight: 350g
- Size: 118 x95 x28mm



ONV-UPOE34064PF
(Power:250W)

6 port 10/100M UPoE Switch


- 4*10/100M UPoE port
- 2*155M SFP ports
- IEEE 802.3bt/af/at
- Switch Capacity:1.8G
- Weight:350g
- Size: 118 x95 x28mm



ONV-UPOE34064CP
(Power:250W)

6 port 10/100M UPoE Switch


- 4*10/100/1000M UPoE ports
- 2*100/1000M RJ45 uplink ports
- IEEE 802.3bt/af/at
- Switch Capacity: 1.6Gbps
- UPoE port power: 60W
- Weight: 350g
- Size: 118 x95 x28mm



ONV-UPOE34064PFG
(Power:250W)

6 port 10/100M UPoE Switch


- 4*10/100/1000M UPoE port
- 1*10/100/1000M Uplink port
- 1*10/100/1000M SFP port
- IEEE 802.3bt/af/at
- Switch Capacity:1.8G
- Weight:350g
- Size: 118 x95 x28mm



ONV-UPOE34054PF
(Power:250W)

5 port 10/100M UPoE Switch

- 4*10/100/1000M UPoE ports
- 1*100/1000M SFP ports
- IEEE 802.3bt/af/at
- Switch Capacity: 1.6Gbps
- UPoE port power: 60W
- Weight: 350g
- Size: 118 x95 x28mm



ONV-UPOE34064CPF
(Power:250W)

6 port 10/100M UPoE Switch

- 4*10/100/1000M UPoE port
- 2*10/100/1000M SFP ports
- IEEE 802.3bt/af/at
- Switch Capacity:1.8G
- Weight:350g
- Size: 118 x95 x28mm



POE EOC-1C1E

- Port information:1*BNC+1*RJ45+1*DC
- IEEE 802.3af/at
- Power Input: 52V DC,1.25A
- Transmission distance: 300/600/1200/1500/2000m
- Weight: 250g
- Size: 116X99X25.5mm




POE EOC-2C1E

- Port information:2*BNC+1*RJ45+1*DC
- IEEE 802.3af/at
- Power Input: IEEE 802.3at
- Transmission distance: 300/600/1200/1500/2000m
- Weight: 250g
- Size: 116X99X25.5mm



POE EOC-1C4E

- Port information:1*BNC+4*RJ45+1*DC
- IEEE 802.3af/at
- Power Input: 52V DC,1.25A
- Transmission distance: 300/600/1200/1500/2000m
- Weight: 250g
- Size: 116X99X25.5mm




ONV-EOC-1C1E

- Port information:1*BNC+1*RJ45+1*DC
- Power Input: 12V DC,1A
- Transmission distance: 300/600/1200/1500/2000m
- Weight: 130g
- Size: 65X78X24mm



ONV-EOC-4C1E

- Port information:4*BNC+1*RJ45+1*DC
- Power Input: 12V DC,1A
- Transmission distance: 300/600/1200/1500/2000m
- Weight: 250g
- Size: 105X68X32mm



ONV-EOC-1C4E

- Port information:1*BNC+4*RJ45+1*DC
- Power Input: 12V DC,1A
- Transmission distance: 300/600/1200/1500/2000m
- Weight: 220g
- Size: 105X68X32mm

ONV-H3005

5 port 10/100/1000M switch



- 5*10/100/1000M RJ45 ports
- DC Input: 9-12V
- Switch Capacity: 10G
- Weight: 180g
- Size: 98 x70.7 x27mm

ONV-H3008

8 port 10/100/1000M switch



- 8*10/100/1000M RJ45 ports
- DC Input: 9-12V
- Switch Capacity: 16G
- Weight: 270g
- Size: 142 x78.8 x27mm

ONV-H3218F

18 port 10/100/1000M switch



- 16*10/100/1000M RJ45 ports + 2*1000M SFP ports
- AC Input: AC100-240V
- Switch Capacity: 52G
- Weight: 1110g
- Size: 243 x135x44mm

ONV-H1016

16 port 10/100M switch



- 16*10/100M RJ45 ports
- AC Input: AC100-240V
- Switch Capacity: 3.2G
- Weight: 1070g
- Size: 270 x181x44.5mm

ONV-H1218

18 port 10/100/1000M switch



- 16*10/100M RJ45 ports + 2*10/100/1000M RJ45 ports
- AC Input: AC100-240V
- Switch Capacity: 14.8G
- Weight: 1200g
- Size: 270 x181x44.5mm

ONV-H1226

26 port 10/100M switch



- 24*10/100M RJ45 ports + 2*10/100/1000M RJ45 ports
- AC Input: AC100-240V
- Switch Capacity: 14.8G
- Weight: 1500g
- Size: 330 x204 x44mm

ONV-H1226U

26 port 10/100M switch



- 24*10/100M RJ45 ports + 2*10/100/1000M RJ45 ports
- AC Input: AC100-240V
- Switch Capacity: 14.8G
- Weight: 1500g
- Size: 440 x225 x44.5mm

ONV-H3226F

26 port 10/100/1000M switch



- 24*10/100/1000M RJ45 ports + 2*1000M SFP ports
- AC Input: AC100-240V
- Switch Capacity: 52G
- Weight: 1530g
- Size: 330x204 x44mm

ONV-H3226FU

26 port 10/100/1000M switch



- 24*10/100/1000M RJ45 ports + 2*1000M SFP ports
- AC Input: AC100-240V
- Switch Capacity: 52G
- Weight: 1530g
- Size: 440x225 x44mm



Static route Default route/STP, TSTP, and MST


Core Aggregation Managed Switch Series



ONV33128FM

10 port Gigabit managed switch

- 10*10/100/1000M RJ45 ports + 2*100/1000M SFP ports
- Buffer Memory: 6M
- Switch Capacity: 192G
- Weight: 1700g
- Size: 270 x181x44.5mm



ONV33168FM

16 port Gigabit managed switch


- 8*10/100/1000M RJ45 ports +8*100/1000M SFP ports
- Buffer Memory: 6M
- Switch Capacity: 256G
- Weight: 1800g
- Size: 270 x181 x44.5mm



ONV33012FM

14 port Gigabit managed switch


- 2*10/100/1000M RJ45 ports+ 12*100/1000M SFP ports
- Buffer Memory: 6M
- Switch Capacity: 256G
- Weight: 1800g
- Size: 270 x181 x44.5mm



ONV33148FM

14 port Gigabit managed switch

- 10*10/100/100M RJ45 ports 4*100/100M SFP ports
- Buffer Memory: 6M
- Switch Capacity: 256G
- Weight: 2500g
- Size: 440 x225x44.5mm



ONV33168FM-4G

16 port Gigabit managed switch

- 12*10/100/1000M RJ45 ports+ 4*100/100M SFP ports
- Butter Memory: 6M
- Switch Capacity: 256G
- Weight: 1500g
- Size: 270 x181 x44.5mm



ONV-POE33018FM

18 port Gigabit managed switch


- 16*10/100/1000M SFP ports+ 2*100/100M SFP ports
- Butter Memory:4M
- Switch Capacity: 256G
- Weight: 3000g
- Size:440 x275 x44.5mm



ONV-POE33026FM

26 port Gigabit managed switch

- 24*10/100/1000M RJ45 ports 4*100/1000M SFP ports
- Butter Memory:8M
- Switch Capacity: 256G
- Weight: 4000g
- Size:440 x285 x44.5mm



ONV33032FM

32 port Gigabit managed switch


- 28*100/1000M SFP ports +4*10/100/1000M RJ45 ports
- Butter Memory: 16M
- Switch Capacity: 368G
- Weight: 4000g
- Size: 440 x225 x44mm



ONV33048FM

52 port Gigabit managed switch

- 48*10/100/1000M RJ45 ports + 4*100/1000M SFP Ports
- Butter Memory: 32M
- Switch Capacity: 598G
- Weight: 4800g
- Size: 440 x290 x44.5mm




ONV36168FM

ONV38168FM

16 port Gigabit managed switch

- 12*10/100/1000M RJ45 ports + 4*1/10G SFP+ ports
- Butter Memory: 32M
- Switch Capacity: 598G
- Weight: 4000g
- Size: 440 x225 x44mm




ONV36028FM

ONV38028FM

28 port Gigabit managed switch

- 24*10/100/1000M RJ45 ports 4*1/10G SFP+ ports
- Butter Memory: 32M
- Switch Capacity: 598G
- Weight: 3200g
- Size: 440 x290 x44.5mm




ONV36032FM

ONV38032FM

32 port Gigabit managed switch

- 4*10/100/1000M RJ45 ports+ 24*100/1000M SFP ports+ 4*1/10G SFP+ ports
- Butter Memory: 32M
- Switch Capacity: 598G
- Weight: 4000g
- Size: 440 x225 x44mm



ONV36036FM

36 port Gigabit managed switch

- 24*10/100/1000M RJ45 ports + 8*100/1000M SFP ports +4*1/10G SFP+ Ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 3500g
- Size: 440 x290 x44.5mm



ONV38036FM

32 port Gigabit managed switch


- 24*10/100/1000M RJ45 ports + 8*100/1000M SFP ports +4*1/10G SFP+ Ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 3500g
- Size: 440 x290 x44.5mm



ONV36048FM

52 port Gigabit managed switch

- 48*10/100/1000M RJ45 ports + 4*1/10 Gigabit SFP+ ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 4800g
- Size: 440 x290 x44.5mm



ONV38048FM

52 port Gigabit managed switch


- 48*10/100/1000M RJ45 ports + 4*1/10G SFP+ ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 4800g
- Size: 440 x290 x44.5mm



ONV36368FM

36 port Gigabit managed switch


- 8*10/100/1000M RJ45 ports+ 24*100/1000M SFP +4*1/10G SFP+ ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 4300g
- Size: 440 x291 x44.5mm



ONV38368FM

36 port Gigabit managed switch


- 8*10/100/1000M RJ45 ports+ 24*100/1000M SFP +4*1/10G SFP+ ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 4300g
- Size: 440 x291 x44.5mm



ONV36448FM

44 port Gigabit managed switch

- 12*10/100/1000M SFP ports+ 28*100/1000M SFP+ 4*1/10G SFP+ ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 4500g
- Size: 440 x291 x44.5mm




ONV38448FM

44 port Gigabit managed switch

- 12*10/100/1000M SFP ports+ 28*100/1000M SFP +4*1/10G SFP+ ports
- Butler Memory: 32M
- Switch Capacity: 598G
- Weight: 4500g
- Size: 440 x291 x44.5mm




	ONV0110S-SCX-O (Single Fiber)	10/100M Media Converter <ul style="list-style-type: none"> ● 1*10/100M RJ45 port + 1*155M SC fiber port ● 155M/ 1310nm/1550nm/ 20KM ● Weight: 157g ● Size: 94 x71 x26mm(LxWxH) ● External power supply. 		ONV0110S-SCX-S2 (Single Fiber)	10/100M Media Converter <ul style="list-style-type: none"> ● 2*10/100M RJ45 ports+ 1*155M SC fiber port ● 155M/ 1310nm/1550nm/ 20KM ● Weight: 286g ● Size: 94 x71 x26mm(LxWxH) ● External power supply.
	ONV0110S-SCX-S4 (Single Fiber)	10/100M Media Converter <ul style="list-style-type: none"> ● 4*10/100M RJ45 ports + 1*155M SC fiber port ● 155M/ 1310nm/1550nm/ 20KM ● Weight: 220g ● Size: 93 x72 x26mm(LxWxH) ● External power supply. 		ONV1110S-SCX-F (Single Fiber)	10/100/1000M Media Converter <ul style="list-style-type: none"> ● 1*10/100/1000M RJ45 port + 1*1000M SFP fiber port ● 1.25G/ 1310nm/1550nm/ 20KM ● Weight: 200g ● Size: 94 x71 x26mm(LxWxH) ● External power supply.
	ONV1110S-SCX-O (Single Fiber)	10/100/1000M Media Converter <ul style="list-style-type: none"> ● 1*10/100/1000M RJ45 port + 1*1000M SC fiber port ● 1.25G/ 1310nm/1550nm/ 20KM ● Weight: 157g ● Size: 94 x71 x26mm(LxWxH) ● External power supply. 		ONV1110S-SCX-S2 (Single Fiber)	10/100/1000M Media Converter <ul style="list-style-type: none"> ● 2*10/100/1000M RJ45 ports + 1*1000M SC fiber port ● 1.25G/ 1310nm/1550nm/ 20KM ● Weight: 286g ● Size: 94 x71 x26mm(LxWxH) ● External power supply.
	ONV2U-16 (Single power supply)	16x Casette Slots <ul style="list-style-type: none"> ● Weight:5200g ● Size: 482 x288 x90mm(LxWxH) 		ONV01110-MCX-S8	8x Casette Slots <ul style="list-style-type: none"> ● 8*10/100M RJ45 ports + 1*SC fiber port ● 155M/ 1310nm/1550nm/ 20KM ● Weight:550g ● Size: 189 x102 x28mm(LxWxH) ● External power supply.
	ONV2U-16-2P (Dual power supply)			ONV01110-SCX-S8	
				ONV01110S-SCX-S8	




HD-SDI
Optic Transceiver

- Signal Type: HD-SDI (1.48G)、ASI
- Port Numbers: 1、2、4、8 (SDI、ASI)
- Data rate: 2.5G
- Distance: 0~20/40/60/80/100/120Km
- Interface: SFP/LC
- Host Input Power: 5V 2A




HDMI
Optic Transceiver

- Signal Type: HDMI (5.4-10.2G)
- Port Numbers: 1(HDMI)
- Data rate: 10G
- Distance: 0~20/40/60/80/100/120Km
- Interface: SFP/LC
- Host Input Power: 5V 2A




managed
WQ5300K3

- AP mode, automatic WDS mode, a orientable covering sector of 60 degrees,
- Waterproof protector level: IP65 .
- Built-in 5.8G ,2*14dBi antenna; transmit power:802.11n 17±2dBm; Outdoor Wi-fi transmission distance (no obstruction): 0.5KM /3KM
- Supports 15-24V POE , 10/100Mbps RJ45 *2 , 300Mbps
- Can be compatible with IEEE802.11b/g/n 5.8GHz
- Supports point to point and point to multipoint transmission , can be suitable for elevator monitoring /construction site/Campus,etc.
- Working temperature/humidity : -40oC--+65oC, 0%-95%
- Dimensions : 240mm*78mm*60mm
- Chipset : Atheros AR9344 , flash memory : 8MB , RAM : 64MB.



managed
WQ5300K5

- AP mode, automatic WDS mode, a orientable covering sector of 60 degrees,
- Waterproof protector level: IP65 .
- Built-in 5.8G ,2*16dBi antenna; transmit power:802.11n 20±2dBm; Outdoor Wi-fi transmission distance (no obstruction): 1KM /5KM
- Supports 15-24V POE , 10/100Mbps RJ45 *2 , 300Mbps
- Can be compatible with IEEE802.11b/g/n 5.8GHz
- Supports point to point and point to multipoint transmission , can be suitable for elevator monitoring /construction site/Campus,etc.
- Working temperature/humidity : -40oC--+65oC, 0%-95%
- Dimensions : 260mm*87.5mm*55mm
- Chipset : Qualcomm QCA9344 , flash memory : 8MB , RAM : 64MB.



managed
WQ2150K1

- AP mode, automatic WDS mode, a orientable covering sector of 60 degrees,
- Waterproof protector level: IP65 .
- Built-in 2.4G ,2*9dBi antenna; transmit power:≤28dBm,800mW; Outdoor Wi-fi transmission distance (no obstruction): 1KM
- Supports 15-24V POE , 10/100Mbps RJ45 *1 , 150Mbps
- Can be compatible with IEEE802.11b/g/n 2.4GHz
- Supports point to point and point to multipoint transmission , can be suitable for elevator monitoring /construction site/Campus,etc.
- Working temperature/humidity : -40oC--+65oC, 0%-95%
- Dimensions : 240mm*78mm*60mm
- Chipset : Qualcomm QCA9331 , flash memory : 16MB , RAM : 64MB.



scan code to get surprise

ONV | Optical Network Video

Tel: 0086-755-33376606

Fax: 0086-755-33376608

Email: onv@onvcom.com

Website: www.onvcom.com

Address: 1003, Block D , Terra building , Chegongmiao, Futian district ,Shenzhen ,China

Factory Address: 4-6/F. buildingA , SenYuTai (Science&Technolgoy)Park, HuaNing Road Dalang sub-district ,Longhua district ,Shenzhen ,China