

Product Catalogue



Professional Power Supply Manufacturer

GWSpower - The Best Choice of Power Supply

Specialist in Power Supply

Provide Better Power Supply Solution

DIN-RAIL



GWS-DP120-48

Din rail 120W industrial power supply

Input voltage range: AC90-264V, 47-63Hz.
Rated input voltage: AC100-240V, 50-60Hz, 2A.
Rated output power: DC48V \pm 2%, 2.5A, 120W.
LED indicator: Normal – Green, Overload – Red.
Interface: IN – 5.08mm * 3PIN industrial terminal (L, N, E)
 OUT – 5.08mm * 6PIN industrial terminal (+V, -, GND).
 Protection for over voltage, over current, over power and short circuit.
 Series/ parallel output switch, output inching switch.
Working temperature: -40°C -- +65°C.



GWS-DP30-24

Din rail 30W industrial power supply

Input voltage range: AC90-264V, 47-63Hz.
Rated input voltage: AC100-240V, 50-60Hz, 0.56A.
Rated output power: DC24V \pm 3%, 1.25A, 30W.
LED indicator: Normal – Green, Overload – Red.
Interface: IN – 5.08mm * 3PIN industrial terminal (L, N, E)
 OUT – 5.08mm * 6PIN industrial terminal (+V, -, GND).
 Protection for over voltage, over current, over power and short circuit.
Working temperature: -40°C -- +65°C.

ENCLOSED



GWS400-520770

Enclosed 400W power supply

Input voltage range: AC90-264V, 47-63Hz.
Rated input voltage: AC100-240V, 50-60Hz, 5A.
Rated output power: DC52V \pm 2%, 7.7A, 400W.
LED indicator: Normal – Green, Overload – Red.
Interface: IN – Y style AC socket (L, N, E).
OUT – Socket standard: 3.96mm*6PIN.
 Protection for over voltage, over current, over power and short circuit.
Working temperature: -20°C -- +60°C.



GWS600-521154

Enclosed 600W power supply

Input voltage range: AC90-264V, 47-63Hz.
Rated input voltage: AC100-240V, 50-60Hz, 5A.
Rated output power: DC52V \pm 2%, 11.54A, 600W.
LED indicator: Normal – Green, Overload – Red.
Interface: IN – Y style AC socket (L, N, E).
OUT – Socket standard: 3.96mm*6PIN.
 Protection for over voltage, over current, over power and short circuit.
Working temperature: -20°C -- +60°C.

ADAPTER



GWS65-520125GM

Desktop 65W power adapter

Input voltage range: AC90-264V, 47-63Hz.
Rated input voltage: AC100-240V, 50-60Hz, 1.1A.
Rated output power: DC52V \pm 2%, 1.25A, 65W.
LED indicator: Green.
Interface: IN – Y style AC socket (L, N, E).
 OUT – 1.2 meters DC cable (UI2464 16AWG)
DC jack dimension: 5.5*2.1*10mm.
 Protection for over voltage, over current, over power and short circuit.
Working temperature: -20°C -- +60°C.



GWS130-520216GM

Desktop 130W power adapter

Input voltage range: AC90-264V, 47-63Hz.
Rated input voltage: AC100-240V, 50-60Hz, 2.3A.
Rated output power: DC52V \pm 2%, 2.5A, 130W.
LED indicator: Green.
Interface: IN – Y style AC socket (L, N, E).
 OUT – 1.2 meters DC cable (UI2464 16AWG).
DC jack dimension: 5.5*2.1*10mm.
 Protection for over voltage, over current, over power and short circuit.
Working temperature: -20°C -- +60°C.

GWSPOWER Model List

| Output Power | Name | Model | Input Voltage | Input Frequency | Output Voltage |
|--------------|-------------------------------------|-----------------|---------------|-----------------|----------------|
| 24W | 24W-12V/24V Power Adapter | GWS24-120200GM | AC100V-240V | 50-60Hz | DC12V |
| | | GWS24-240100GM | | | DC24V |
| 30W | 30W-5V/12V/24V/52V Power Adapter | GWS30-050600GM | AC100V-240V | 50-60Hz | DC5V |
| | | GWS30-120250GM | | | DC12V |
| | | GWS30-240125GM | | | DC24V |
| | | GWS30-520058GM | | | DC52V |
| 60W | 60W-12V/24V/48V Power Adapter | GWS60-120500GM | AC100V-240V | 50-60Hz | DC12V |
| | | GWS60-240250GM | | | DC24V |
| | | GWS60-480125GM | | | DC48V |
| 65W | 65W-12V/24V/52V Power Adapter | GWS65-120542GM | AC100V-240V | 50-60Hz | DC12V |
| | | GWS65-240270GM | | | DC24V |
| | | GWS65-520125GM | | | DC52V |
| 100W | 100W-24V/52V Power Adapter | GWS100-240417GM | AC100V-240V | 50-60Hz | DC24V |
| | | GWS100-520192GM | | | DC52V |
| 110W | 110W-24V/52V Power Adapter | GWS110-240459GM | AC100V-240V | 50-60Hz | DC24V |
| | | GWS110-520216GM | | | DC52V |
| 120W | 120W-24V/52V Power Adapter | GWS120-240500GM | AC100V-240V | 50-60Hz | DC24V |
| | | GWS120-520230GM | | | DC52V |
| 130W | 130W-24V/52V Power Adapter | GWS130-240547GM | AC100V-240V | 50-60Hz | DC24V |
| | | GWS130-520250GM | | | DC52V |
| 250W | 250W-24V/52V Power Adapter | GWS250-241042GM | AC100V-240V | 50-60Hz | DC24V |
| | | GWS250-520480GM | | | DC52V |

| Output Power | Name | Model | Input Voltage | Input Frequency | Output Voltage |
|--------------|--|--------------|---------------|-----------------|----------------|
| 30W | 30W-5V/12V/24V/48V Industrial Power Supply | GWS-DP30-05 | AC100V-240V | 50-60Hz | DC5V |
| | | GWS-DP30-12 | | | DC12V |
| | | GWS-DP30-24 | | | DC24V |
| | | GWS-DP30-48 | | | DC48V |
| 60W | 60W-5V/12V/24V/48V Industrial Power Supply | GWS-DP60-05 | AC100V-240V | 50-60Hz | DC5V |
| | | GWS-DP60-12 | | | DC12V |
| | | GWS-DP60-24 | | | DC24V |
| | | GWS-DP60-48 | | | DC48V |
| 120W | 120W-5V/12V/24V/48V Industrial Power Supply | GWS-DP120-05 | AC100V-240V | 50-60Hz | DC5V |
| | | GWS-DP120-12 | | | DC12V |
| | | GWS-DP120-24 | | | DC24V |
| | | GWS-DP120-48 | | | DC48V |

| Output Power | Name | Model | Input Voltage | Input Frequency | Output Voltage |
|--------------|---|---------------|---------------|-----------------|----------------|
| 24W | 24W-12V/24V Enclosed Power Supply | GWS24-120200 | AC100V-240V | 50-60Hz | DC12V |
| | | GWS24-240100 | | | DC24V |
| 30W | 30W-5V/12V/24V/52V Enclosed Power Supply | GWS30-050600 | AC100V-240V | 50-60Hz | DC5V |
| | | GWS30-120250 | | | DC12V |
| | | GWS30-240125 | | | DC24V |
| | | GWS30-520058 | | | DC52V |
| 60W | 60W-12V/24V/48V Enclosed Power Supply | GWS60-120500 | AC100V-240V | 50-60Hz | DC12V |
| | | GWS60-240250 | | | DC24V |
| | | GWS60-480125 | | | DC48V |
| 65W | 65W-12V/24V/52V Enclosed Power Supply | GWS65-120542 | AC100V-240V | 50-60Hz | DC12V |
| | | GWS65-240270 | | | DC24V |
| | | GWS65-520125 | | | DC52V |
| 100W | 100W-24V/52V Enclosed Power Supply | GWS100-240417 | AC100V-240V | 50-60Hz | DC24V |
| | | GWS100-520192 | | | DC52V |
| 110W | 110W-24V/52V Enclosed Power Supply | GWS110-240459 | AC100V-240V | 50-60Hz | DC24V |
| | | GWS110-520216 | | | DC52V |
| 120W | 120W-24V/52V Enclosed Power Supply | GWS120-240500 | AC100V-240V | 50-60Hz | DC24V |
| | | GWS120-520230 | | | DC52V |
| 130W | 130W-24V/52V Enclosed Power Supply | GWS130-240547 | AC100V-240V | 50-60Hz | DC24V |
| | | GWS130-520250 | | | DC52V |
| 250W | 250W-24V/52V Enclosed Power Supply | GWS250-241042 | AC100V-240V | 50-60Hz | DC24V |
| | | GWS250-520480 | | | DC52V |
| 400W | 400W-24V/52V Enclosed Power Supply | GWS400-241667 | AC100V-240V | 50-60Hz | DC24V |
| | | GWS400-520770 | | | DC52V |
| 600W | 600W-24V/52V Enclosed Power Supply | GWS600-242500 | AC100V-240V | 50-60Hz | DC24V |

| Output Power | Name | Model | Input Voltage | Input Frequency | Output Voltage |
|--------------|--|--------------|---------------|-----------------|----------------|
| 240W | 240W-5V/12V/24V/48V Industrial Power Supply | GWS-DP240-05 | AC100V-240V | 50-60Hz | DC5V |
| | | GWS-DP240-12 | | | DC12V |
| | | GWS-DP240-24 | | | DC24V |
| | | GWS-DP240-48 | | | DC48V |
| 480W | 480W-5V/12V/24V/48V Industrial Power Supply | GWS-DP480-05 | AC100V-240V | 50-60Hz | DC5V |
| | | GWS-DP480-12 | | | DC12V |
| | | GWS-DP480-24 | | | DC24V |
| | | GWS-DP480-48 | | | DC48V |

GWS100W POWER ADAPTOP WELLACCEPTED BY MARKET

FOCUS ON MANUFACTURING HIGH QUALITY POWER ADAPTOR



FCC



CE



ROHS



Gwspower

OPTICAL NETWORK VIDEO ELECTRONIC (SHENZHEN) CO., LTD

Headquarter

Fax:0086-755-33376608

Tel: 0086-755-33376606

E-mail: sales@onv.com.cn

Add: Address: 26B, building 1, Dushi Yangguangmingyuan, Shennan Road, Futian District, Shenzen

Factory

Tel: 0086-755-33079466

Fax:0086-755-33079477

Email: sales@onv.com.cn

Add: The 4-6th Floor, A building, SenYuTai (Science&Technology) Park, HuaNing Road, Dalang sub-district, Longhua new district ,Shenzhen ,China